Golder Associates Inc.

44 Union Boulevard, Suite 300 Lakewood, CO USA 80228 Telephone (303) 980-0540 Fax (303) 985-2080



INTERNATIONAL CYANIDE MANAGEMENT CODE AUDIT TWIN CREEKS MINE, NEVADA SUMMARY AUDIT REPORT

Submitted to:



Newmont Mining Corporation Twin Creeks Mine P.O. Box 69 Golconda, Nevada 89414

and

International Cyanide Management Institute 1200 G Street N.W, Suite 800 Washington, D.C. 20005

Submitted by:

Golder Associates Inc. 44 Union Boulevard, Suite 300 Lakewood, Colorado 80228

March 15, 2007 053-2280

Name of Project: Twin Creeks Mine

<u>Project Owner / Operator:</u> Newmont Mining Corporation

Name of Responsible Manager: Jerry Pfarr, Mine Manager

Address and Contact Information:

Twin Creeks Mine P.O. Box 69 Golconda, Nevada 89414

Phone – 775-635-4449 Fax – 775-635-4472 Email – Jerry.Pfarr@Newmont.com

Audit Dates: November 27 - December 1, 2006

Location and Description of Operation

The Twin Creeks Mine (Twin Creeks) is located in Humboldt County, Nevada, approximately 35 miles north of the town of Golconda. Twin Creeks is located on both patented and unpatented land. The unpatented land is managed by the US Department of Interior, Bureau of Land Management. Twin Creeks consists of a single large active open pit mine, overburden piles, topsoil stockpiles, tailings impoundments, heap leach facilities, including sulfide and oxide milling circuit process buildings, heap leach gold recovery circuits, administration buildings, maintenance facilities, and access and haul roads. Mining originally began in 1986 in the northern part of the project area as the Chimney Creek Mine. In 1989, the Rabbit Creek Mine in the southern portion of the project area began mining. In 1993 Chimney Creek and Rabbit Creek Mines were combined and renamed Twin Creeks to pursue development of a large sulfide deposit. Newmont Mining Corporation merged with the owner of the Twin Creeks operation and became Project Owner and Operator in 1997.

Twin Creeks is an open pit precious metals mine with two process circuits: an oxide and sulfide ore milling circuit utilizing the carbon-in-leach (CIL) process; and, heap leach processing with a carbon-in-column (CIC) circuit. Sulfide ore is milled in the Sage Mill and then conveyed to the autoclave for rapid oxidation of the sulfide minerals. The oxide ore is milled in the Juniper Mill and conveyed to the CIL circuit for blending with neutralized sulfide ore from the autoclave process. Tailings from the combined sulfide and oxide ore processing goes through a Hydrogen Peroxide cyanide destruction circuit before disposal in the Juniper Tailings Storage Facility. Twin Creeks receives ores from Lone Tree Mine, Midas Mine, Carlin Mines, and the Getchell Mine. Twin Creeks has a closed tailing storage facility and mill in the southern portion of the property referred to as the Pinon Mill and

Twin Creeks Mine
Name of Facility
Signature Lead Auditor
Date

Tailings Storage Facility. The mill was inactive at the time audit except for the CIC circuit in the mill building. The Pinon Tailings Storage Facility has been decommissioned by removal of process water from the surface and placing a vegetated cover over the impoundment. Accordingly, the Pinon Tailings Storage Facility was not included in the ICMC audit.

The Twin Creeks heap leach circuit consists of a Test Pad and three heap leach facilities in the Northern half of the property Izzenhood, Snowstorm, and Sonoma and one heap leach facility in the southern portion of the property Ozgood. The heap leach facilities and associated ponds are permitted as zero-discharge facilities. The heaps drain to a series of intermediate and pregnant ponds. Solutions from the pregnant ponds are pumped via pipeline to gold recovery plants.

The Twin Creeks open pit includes active dewatering operations. Water removed from the subsurface in the dewatering wells is discharged according to permits issued by the Nevada Department of Environmental Protection to a surface drainage after an arsenic treatment process. Water quality monitoring confirmed that the dewatering circuit is separate and distinct from the cyanide processing circuit.

Twin Creeks receives liquid sodium cyanide from Cyanco located in Winnemucca, Nevada in specially engineered tanker trucks. The sodium cyanide is delivered by TransWood Inc. Both Cyanco and TransWood Inc. are signatory to the Code and have been certified as compliant with the Code by third-party auditors. Twin Creeks stores and manages sodium cyanide in engineered tanks, pipelines, and lined ponds that have had appropriate quality control and quality assurance. Twin Creeks employees are trained in cyanide hazards and first aid, first response, emergency response, and specific operational task training. Twin Creeks facilities are fenced to preclude wildlife and livestock from entering cyanide process areas. Twin Creeks conducts daily, weekly, and monthly inspections to assure that facilities are functioning as designed and to monitor process solutions. Preventive maintenance programs are in place to assure the continuous operations. Twin Creeks has approved closure and reclamation plans along with financial assurance to complete the appropriate management of cyanide solutions and solids, and the decontamination of cyanide pipelines and equipment.

Auditors:

Scott Miller, Lead Auditor Brent Bailey, Gold Mining Technical Expert Auditor

| | X | in full compliance with | | |
|-------------------------|---|--------------------------------|------------------------|---------------------------|
| The operation is | | in substantial compliance with | Internation Managem | onal Cyanide nent Code |
| | | not in compliance with | | |
| Twin Creeks Name of Fac | | Signature Lead Au | ditor | March 15, 2007 Date |

Audit Company:

Golder Associates Inc.

Audit Team Leader:

Scott H. Miller

E-mail:

Scott Miller@golder.com

Names and Signatures of Other Auditors:

Brent Bailey

Brent Bailey

Name of Auditor

Date

I attest that I meet the criteria for knowledge, experience and conflict of interest for Code Verification Audit Team Leader, established by the International Cyanide Management Institute and that all members of the audit team meet the applicable criteria established by the International Cyanide Management Institute for Code Verification Auditors.

I attest that this Summary Audit Report accurately describes the findings of the verification audit. I further attest that the verification audit was conducted in a professional manner in accordance with the International Cyanide Management Code Verification Protocol for Gold Mine Operations and using standard and accepted practices for health, safety and environmental audits.

Albuc, State of Colorado Commission supres "los/2010

Twin Creeks Mine

Name of Facility

Signature Lead Auditor

March 15, 2007

Date

| 1. PRODUCTION | ': | Encourage responsible cyan purchasing from manufactur safe and environmentally protective | ers who operate in a |
|---|--|--|--|
| Standard of Practice 1.1: | | Purchase cyanide from manufacture practices and procedures to limit excyanide, and to prevent releases of cyanides. | sposure of their workforce to |
| | X | in full compliance with | |
| The operation is | | in substantial compliance with | Standard of Practice 1.1 |
| | | not in compliance with | |
| | he Internat | in Creeks has committed to only purcha cional Cyanide Management Code (ICM Cyanco. | |
| 2. TRANSPORTA | TION: | Protect communities and the en transport. | vironment during cyanide |
| Standard of Pract | <u>ice 2.1</u> : | Establish clear lines of response release prevention, training and en agreements with producers, distributor | nergency response in written |
| | X | in full compliance with | |
| The operation is | | in substantial compliance with | Standard of Practice 2.1 |
| | | not in compliance with | |
| specify that the oper responsibility of ICN solely responsible for Creeks. Cyanco is transportation of the independent auditor | ation takes MC Transp or the produ s a signato e cyanide s as comp | ownership of the cyanide at the time of ortation Principles and Standards of Praction and transport of Sodium Cyanide by producer to the ICMC and subcoto Twin Creeks. TransWood has beliant with the ICMC with clear lines ining, and emergency response. | delivery, but does not define actice. Cyanco is by contract to the delivery point at Twin ontracts TransWood Inc. for een certified by third party |
| Twin Creeks | | Scott Hillo | March 15, 2007 |
| Name of Fac | cility | Signature Lead Aud | itor Date |

| Standard of Practice 2.2: | | Require that cyanide transporters implement appropriate emergency response plans and capabilities and employ adequate measures for cyanide management. | | |
|---|--|--|---|---|
| | X | in full compliance with | | |
| The operation is | | in substantial compliance with | Standard of Practice 2.2 | 2 |
| | | not in compliance with | | |
| of cyanide to the deliver subcontracts TransWood been certified by third p | y point I Inc. f party ir | aco is by contract solely responsible to at Twin Creeks. Cyanco is a signation transportation of the cyanide to adependent auditors as compliant will depend and have adequate | tory producer to the ICMC Twin Creeks. TransWood ith the ICMC with approp | C and d has priate |
| 3. HANDLING AND ST | ORAG | E: Protect workers and the handling and storage. | environment during cy | yanide |
| Standard of Practice 3.1 | : | Design and construct unloading, consistent with sound, accepted control/quality assurance procedu containment measures. | engineering practices, of | quality |
| | X | in full compliance with | | |
| The operation is | | in substantial compliance with | Standard of Practice 3.1 | 1 |
| | | not in compliance with | | |
| have been completed app and stamped by Nevada control and assurance detailed specifications of tankage materials. In continued use by the cy storage tanks each have unloading and storage ventilation. The Junipe and alarms due to its lo storage areas are within cyanide. As also covere spill prevention and the | propriate Profession Profession Profession Proceduration addition and so a high areas. The Profession Professi | design and construction of the cyandely as documented in final design and ssional Engineers. The cyanide underest and documentation include confoundation compaction and concrete on these facilities have been recensupplier and the Nevada State regular and level alarm and level indicator. The unload and storage tanks are Mill unload and storage tanks are mear traffic areas by trained operators to contain ments of Practice 4.7, the containments sized to contain volumes greated security is provided around the recent of the contain the security is provided around the recent and the security is provided around the recent and the security is provided around the security and the security is provided around the security and the security is provided around the secur | d construction drawings pro- load and storage facility of construction level drawings e reinforcement and pipin tilly reviewed and approve tory agency. The liquid con There are three separate con e located outside with ad- tas hydrogen cyanide mon- tors. The cyanide unloading and precipitation that may continue that areas are construct eater than the single larges | repared quality s with ng and red for yanide eyanide lequate itoring ng and contact ted for st tank |
| Twin Creeks Mi Name of Facility | | Signature Lead A | March 15, 20 uditor Date | |

| trucks. | | | d in specially engineered tanke |
|---|---|---|---|
| Standard of Practice 3.2 | <u>).</u> | Operate unloading, storage and mit preventive maintenance and conting releases and control and respond to | ency plans to prevent or contain |
| | X | in full compliance with | |
| The operation is | | in substantial compliance with | Standard of Practice 3.2 |
| | | not in compliance with | |
| prevent exposure and reconsist of "Cyanide E Storage Facilities Insperins and us tracks all maintenance at of Practice 4.1, Twin Cyalk around and format Contingency planning d | releases Equipment of the control of | win Creeks has developed Standard of cyanide during unloading, storagent Decontamination SOP"; "Reage and "Spills in Cyanide Secondary Computer database preventative mainters at the unload and storage tank areas, has implemented an inspection program inspections, findings are entered into have been developed and implementatory to address power failure, and extended | ge, and application. The SOP nt Offloading SOP"; "Cyanid ontainment." Twin Creeks use nance program that identifies and As also covered under Standard and that includes daily pre-shift into work orders when required ented to support the process pone |
| 4. OPERATIONS: | | Manage cyanide process solu protect human health and the envir | |
| Standard of Practice | <u>4.1</u> : | Implement management and opprotect human health and the enplanning and inspection an procedures. | vironment utilizing contingenc |
| | X | in full compliance with | |
| The operation is | | in substantial compliance with | Standard of Practice 4.1 |
| | | not in compliance with | |
| that address protection of processing and the cyan Operating Plan that desadequate contingency paddress all the cyanide acarbon-in-leach and cadisposal; and cyanide adeveloped and implement | of huma ide carl cribes a lanning manage rbon-in neap lea ented t | n Creeks has developed and implement an health and the environment for the con-in-leach circuit for the two mills. It aspects of the facility operations. It is, routine inspections, and a prevention ment tasks such as unloading and stor-column systems; operation of cyarach circulation pumps. Contingency to support the process pond manage | In addition Twin Creeks has an These SOPs were found to have we maintenance program. SOP rage of cyanide; operation of the hide destruct circuit for tailing planning documents have been sment and solution inventory to |
| Twin Creeks M Name of Facilit | | Signature Lead A | March 15, 2007 uditor Date |

address power failure, and extreme rainfall management. Twin Creeks has backup generators to ensure that essential process equipment and systems operate and Twin Creeks has inspections that include regular testing of the backup power generator. Twin Creeks uses a computer based preventive maintenance system, Ellipse, to identify, issue work orders and document all preventive maintenance activities.

| maintenance activities. | | | |
|--|---|--|--|
| Standard of Practice 4 | <u>4.2:</u> | Introduce management and ope cyanide use, thereby limiting contailings. | e . |
| | X | in full compliance with | |
| The operation is | | in substantial compliance with | Standard of Practice 4.2 |
| | | not in compliance with | |
| the Twin Creeks pit, Losevaluates the optimal cyanide addition in the first point is increased in the function developed the several times per properties. | ne Tre anide a irst CII t CIL irst tar er shif ide de | n Creeks receives ore for milling from the Mine, Carlin Mines, Midas Mine and dition rates as the ore mixture chan at tank using an automatic control that tank. If the cyanide content is lower that the cyanide content and pH is also and to double check the automated construction system that is used to limit | nd Getchell Mine and regularly ges. Twin Creeks evaluates the tanalyzes cyanide content every than the target the addition set alyzed manually using a titration attrol. Twin Creeks employs a |
| Standard of Practice 4.3: | • | Implement a comprehensive water magainst unintentional releases. | anagement program to protect |
| | X | in full compliance with | |
| The operation is | | in substantial compliance with | Standard of Practice 4.3 |
| | | not in compliance with | |
| the uncertainty and variatoric and data collon a regular basis. Twin for incorporation into the | ability ection Creeks mode | of climatic data to prevent overtopp programs have been implemented to s has two weather stations and measurel and operational planning. Daily shi monitoring that is incorporated into potential overtopping. | ing. Process facility inspection update the water balance model es and records precipitation data ift inspections will include pond |
| | | | |

Twin Creeks Mine
Name of Facility

Signature Lead Auditor

March 15, 2007

Date

| Standard of Practice 4.4: | | Implement measures to protect livestock from adverse effects of cyan | |
|---|---|--|--|
| | X | in full compliance with | |
| The operation is | | in substantial compliance with | Standard of Practice 4.4 |
| | | not in compliance with | |
| Creeks' facilities include heap leach facilities pone Twin Creeks uses bird le cyanide destruction systemidlife. In addition to the equipped with propane for bird hazing and rescue in implemented programs to application and to preven | a perinds and balls on the Hydright in the fired air or prevent overs | Creeks has four process ponds that meter fence around the entire property tailings decant pond to further prever netting in the heap leach process peps the cyanide level of the tailings rogen Peroxide system, the tailings in cannons. Twin Creeks has personared on the tailings impoundment. Internal control ponding of solution of spraying of the lined areas. At flumeer of solutions or netting is used to prove | y and wildlife fencing around the ent wildlife and livestock access ponds. The Hydrogen Peroxide solution below levels lethal to appoundment supernatant pond is nel trained and ready to support Twin Creeks has developed and a the surface of the heaps during areas along the perimeter of the |
| Standard of Practice 4.5. | | Implement measures to protect fis- indirect discharges of cyanide water. | 0 0 |
| | X | in full compliance with | |
| The operation is | | in substantial compliance with | Standard of Practice 4.5 |
| | | not in compliance with | |
| Operation performance I operation is consistent w is no impact to groundw | nistory, ith the vater or nergeno | Creeks is designed and operated for design criteria and the project water zero-discharge requirements. Moniter surface water quality from the tail by response plans have been developed. | er balance indicate that facilities oring information indicates there ings and heap leach operations. |
| Standard of Practice 4.6: | | Implement measures designed to facilities to protect the beneficial use | |
| | X | in full compliance with | |
| The operation is | | in substantial compliance with | Standard of Practice 4.6 |
| | | not in compliance with | |
| | | | |
| Twin Creeks Min | ne | Scott thill | March 15, 2007 |
| Name of Facility | | Signature Lead Au | uditor Date |

Basis for Audit Finding: The regional groundwater generally meets the beneficial use for a drinking water source, with the exception of arsenic concentrations. Never-the-less, the Twin Creeks project is designed and operated to protect groundwater resources. The project construction and operation include a number of seepage control technologies: composite liner systems below the heap leach pads consisting of compacted low-permeability soil liner overlain by geomembrane liners, double geomembrane liners with leak detection and leak collection systems underneath the process ponds, and concrete containments in process areas to protect the beneficial water use. The tailings storage facility has a clay core embankment and clay liner extending underneath the impoundment footprint. The tailings storage facility has been operated to promote evaporation and develop consolidated tailings. Excess water is decanted off the impoundment surface and conveyed to a HDPE lined decant pond. The tailings storage facility also incorporates a seepage collection system on the embankments. The groundwater quality monitoring data indicate that the beneficial groundwater uses have been protected.

| Standard of Practice 4.7. | • | Provide spill prevention or contain and pipelines. | ment measur | res for process tanks |
|--|---|--|--|--|
| | X | in full compliance with | | |
| The operation is | | in substantial compliance with | Standard o | of Practice 4.7 |
| | | not in compliance with | | |
| for all cyanide storage ar geomembrane-lined char have been designed to c Secondary containment i leakage. SOPs have been containments. Review | nd procent nels. ontain n the period of the | Twin Creeks operation has secondary containers, other secondary containments in the at least 110 % of the largest tank leaveness areas has automated pumping oped to address management of spill e operation indicates that all tank riate for handling high pH cyanide so | ainments including and a graph systems for a response and a s, piping and a s, piping and a s. | ude pipe-in-pipe and ad and storage areas design storm event. management of tank I clean-up within the |
| Standard of Practice 4 | <u>.8</u> : | Implement quality control/qual confirm that cyanide facilities are cengineering standards and specifical | constructed ac | - |
| | X | in full compliance with | | |
| The operation is | | in substantial compliance with | Standard o | of Practice 4.8 |
| | | not in compliance with | | |
| been verified by qualification details. been verified by qualification was completed to the construction was completed by the construction was constructed by the co | ied enga collected acc | project construction of the heap leach gineering companies and includes ction and documentation. The QC/ cording to engineering standards and information in the Environmental Of | detailed qual/QA document specification | lity control /quality nts indicate that the |
| Twin Creeks Min | | Scott thill | 20 | March 15, 2007 |
| Name of Facility | | Signature Lead A | uditor | Date |

| Standard of Practice 4. | <u>9</u> : | Implement monitoring program cyanide use on wildlife surface and g | |
|---|---|--|---|
| | \boxtimes | in full compliance with | |
| The operation is | | in substantial compliance with | Standard of Practice 4.9 |
| | | not in compliance with | |
| evaluate the performan quality. The environm | ce of the | win Creeks has environmental mon ne cyanide management systems on water grograms have been prepared and appread personnel and include all appread | rildlife, surface and groundwater roved by qualified professionals |
| 5. DECOMMISSION | ING: | Protect communities and the through development and implement plans for cyanide facilities. | • |
| Standard of Practice 5 | <u>5.1</u> : | Plan and implement procedures for cyanide facilities to protect livestock. | |
| | X | in full compliance with | |
| The operation is | | in substantial compliance with | Standard of Practice 5.1 |
| | | not in compliance with | |
| address Nevada State at all cyanide equipment, schedule that consider rinsing of equipment, a Creeks is required to up Nevada reclamation pe | nd Fede pipeli the trand ren pdate the | rin Creeks has developed a written charal mining reclamation requirements the mes and facilities. Twin Creeks has reatment and evaporation of all prochoval and decommissioning of ponds the closure plan and estimated costs at 1 d with project changes. The closure a terformance monitoring. | hat includes decommissioning of s developed an implementation sess solution, detoxification and and other containments. Twin least every three years with their |
| Standard of Practice 5 | <u>2</u> : | Establish an assurance mechanism related decommissioning activities. | capable of fully funding cyanide |
| | X | in full compliance with | |
| The operation is | | in substantial compliance with | Standard of Practice 5.2 |
| | | not in compliance with | |
| Twin Creeks M Name of Facilit | | Signature Lead Au | March 15, 2007 |

Basis for Audit Finding: Twin Creeks has developed cost estimates with sufficient financial resources for the closure of the cyanide-related facilities and activities. Twin Creeks has established an approved financial surety to cover the full cost of cyanide facility decommissioning. The US Department of Interior, Bureau of Land Management holds a financial surety from Twin Creeks for approximately \$72M, with the cyanide detoxification, water treatment, and material stabilization being approximately \$8M of the total.

| 6. WORKER SAFETY: | | Protect workers' health and safety f | rom exposure to cyanide. | |
|---|--|--|---|---|
| Standard of Practice 6.1: | , | Identify potential cyanide exp measures as necessary to eliminate, i | | ıke |
| | X | in full compliance with | | |
| The operation is | | in substantial compliance with | Standard of Practice 6.1 | |
| | | not in compliance with | | |
| developed procedures an task specific SOPs provequipment requirements meetings to provide inforworker safety issues. The changes in SOPs be discontinuous to the safety issues. | d plans vide de and ir mation Cussed | vin Creeks has identified potential of sto eliminate, reduce and control expetails for safe operation of cyanide aspection requirements. Twin Creek and training to employees as well as reeks has a Change Management Powith the area supervisors prior to it and training requirements updated. | posure. Twin Creeks' individed equipment, personal protects has weekly health and safe solicit input from employees plicy that requires any proposition. | lual tive fety s on sed |
| Standard of Practice 6.2 | <u>?</u> .: | Operate and monitor cyanide fact and safety and periodically evaluate safety measures. | <u> </u> | |
| | X | in full compliance with | | |
| The operation is | | in substantial compliance with | Standard of Practice 6.2 | |
| | | not in compliance with | | |
| prevent the generation of facilities outside or in we equipment, standard ope There are HCN sensors a carbon column circuit is proximity to the cyanide confined space entry. To all relevant process are monitoring equipment in | f hydro ell vent rationa and ala inside e stora win Cro as and nainter | n Creeks has developed SOPs for the ogen cyanide (HCN) gas in addition cilated building with HCN monitors. In plans for control of cyanide, caust arms located outside at the CIC cyanide the CIC building and inside the Mage tanks). Twin Creeks also has make has established requirements for all cyanide-related activities. In an and calibration programs. The sand non-acidic fire extinguishers | to locating key cyanide proc Fwin Creeks has defined proc ic, pH, and Hydrogen Peroxi de storage tank, at the end of fill Reagent building (in cl- obile HCN detectors for use personal protective equipmen Twin Creeks has implement win Creeks has installed saf at relevant cyanide usage are | cess ide. the ose in at at ited fety |
| Twin Creeks Min | | Scott the | | |
| Name of Facility | | Signature Lead Au | iditor Date | |

Twin Creeks provides the cyanide safety information (Material Safety Data Sheets and first aid procedures) at all key process locations and on the Twin Creeks Intranet. Twin Creeks and Newmont Corporate have implemented an accident investigation process to report and investigate all cyanide related incidents.

Warning signs are located in areas of cyanide usage to alert workers that cyanide is in use and include the use of PPE. Unloading, storage, mixing and process tanks and piping containing cyanide are identified to alert workers of their contents, and is the direction of cyanide flow in pipes designated.

| Standard of Practice 6. | <u>3</u> : | Develop and implement emer procedures to respond to worker exp | · · · |
|--|---|--|--|
| | X | in full compliance with | |
| The operation is | | in substantial compliance with | Standard of Practice 6.3 |
| | | not in compliance with | |
| implemented the Plan Creeks has safety equi- (amyl nitrite, medical aid training. Twin Cri cyanide exposure inclustore and replace cyan several locations on the first aid and provide a hospital. Twin Creeks | through ipment is oxygen, eeks ha iding ox ide expo- e propert kit with s has ma as has co- e per yea | | ncy response equipment. Twi ash stations, first aid equipmer onse vehicle, and employee first et trained to provide first aid for Twin Creeks has a program to manufacturer's requirements at Twin Creeks will provide on-sit sport with the patient to the local ospitals to treat cyanide expose and tests the relevant emergence. |
| Standard of Practice 7. | <u>1</u> : | Prepare detailed emergency recyanide releases. | esponse plans for potentia |
| | X | in full compliance with | |
| The operation is | | in substantial compliance with | Standard of Practice 7.1 |
| | | not in compliance with | |
| Plan and procedures to that address potential | respon cyanid | rin Creeks has developed and impler d to cyanide related emergencies and e releases including containment p onse plans will be evaluated and upda | emergency control management plans and analysis of potentia |
| Twin Creeks M Name of Facili | | Signature Lead A | March 15, 2007 uditor Date |

| Standard of Practice 7.2: | | Involve site personnel and stakeholde | ers in the planning process. |
|---|--|--|--|
| | X | in full compliance with | |
| The operation is | | in substantial compliance with | Standard of Practice 7.2 |
| | | not in compliance with | |
| entirely by trained on-sequipped emergency research HazMat personnel. Cyanide incidents at the involvement and input of the emergency response | site per ponse varies. Twin C site. Their planni | e Emergency Response Plan has be resonnel. Twin Creeks has on-site vehicle, HazMat vehicle and certified reeks emergency response teams are twin Creeks' Emergency Response Plan Workforce. Twin Creeks's workforce may process through weekly safety may make the mock drills and revises the emergen | fire fighting capabilities, fully d First Responders, fire-fighters rained to respond to all potential lan has been developed with the e has the ability to participate in leetings and mock drills. Twin |
| Standard of Practice 7.3. | • | Designate appropriate person equipment and resources for emergen | |
| | X | in full compliance with | |
| The operation is | | in substantial compliance with | Standard of Practice 7.3 |
| | | not in compliance with | |
| SOPs the necessary emethe operation and to concertified First Responder Plan (ERP) defines the (SRT). The SRT is conalternatives in the event management of the emcommunication, product external Newmont Corp Duties and Responsibilitia a list of on-site emergence Creeks requires training exposed to cyanide, to a associated with NaCN a includes radio channel, Response Team and Corp Duties and Responsibilitithe Safety and Environment | ordinates, fire for primare mmand that the nergence ion and control orate search and condinistic office mmande ies. The mental etransperiments or transperiments of the primare of the mental etransperiments or transperiments or t | response equipment and first aid to e transportation to the nearest medicighters and HazMat personnel. Twing and alternative response coordinated by a Leader, who is the Site Me Manager is not available. The SR y situation (human resources, equipment divisions at the site. The SRT, shapport divisions. The ERP has sect the Incident Commander and Manage and the entification for First Responders that the territication | manage all cyanide incidents at cal facilities. Twin Creeks has a Creeks's Emergency Response tors for a Site Response Team anager. The ERP has a list of the ERP has a list of the cyanger. The ERP has a list of the overall ipment, material and supplies hould it be necessary, will have ions on Twin Creeks Personnel of Succession. The ERP contains the local medical providers. Twin the include first aid for personnel antidote kits, hazard awareness mination procedures. The ERP the numbers for the Emergency and Twin Creeks Mine Personnel of the Incident Commander and a list of emergency response |
| Twin Creeks Min Name of Facility | | Signature Lead Au | March 15, 2007 Iditor Date |

In addition to the Site Response Team, Newmont Corporate has a corporate-wide system that develops a Rapid Response Team at the time an incident occurs and continues the requirement for management and operations no longer exists. The structure of the Rapid Response can be established and expanded depending upon the changing conditions of the incident.

| Standard of Practice | <u>7.4</u> : | Develop procedures for internal ar and reporting. | ıd external em | nergency notification |
|-----------------------|----------------|--|----------------|-----------------------|
| | X | in full compliance with | | |
| The operation is | | in substantial compliance with | Standard o | of Practice 7.4 |
| | | not in compliance with | | |
| | g current | vin Creeks's Emergency Response P contact telephone numbers) for i | _ | _ |
| Standard of Practic | <u>e 7.5</u> : | Incorporate into response pla monitoring elements that account f cyanide treatment chemicals. | | |
| | X | in full compliance with | | |
| The operation is | | in substantial compliance with | Standard (| of Practice 7.5 |
| | | not in compliance with | | |
| address appropriate u | ses and si | vin Creeks has prepared cyanide rest tuations for cyanide treatment chemi ils and groundwater in the event of a | icals. Twin C | reeks has developed |
| Standard of Practice | <u>7.6</u> : | Periodically evaluate response previse them as needed. | procedures ar | nd capabilities and |
| | X | in full compliance with | | |
| The operation is | | in substantial compliance with | Standard o | of Practice 2.2 |
| | | not in compliance with | | |
| | Plan, if n | Swin Creeks has committed to annual eeded. Additionally, at least once personse drill. | | |
| Twin Creeks | Mine | < the desired the desired to the desired the desired to the desire | <u>l</u> | March 15, 2007 |
| Name of Faci | | Signature Lead A | Auditor | Date |
| | | | | |

| 8. TRAINING: | | Train workers and emergency response per cyanide in a safe and environmentally protective | _ |
|--|--|--|--|
| Standard of Practice 8.1: | | Train workers to understand the hazards cyanide use. | s associated with |
| | X | in full compliance with | |
| The operation is | | in substantial compliance with Standard | of Practice 8.1 |
| | | not in compliance with | |
| and will provide annual i | refresl | n Creeks provides training to all employees on the ner training. Twin Creeks retains all cyanide tra- ed performance assessment tests are also retained | ining records for all |
| Standard of Practice 8.2: | | Train appropriate personnel to operate the fasystems and procedures that protect his community and the environment. | |
| | X | in full compliance with | |
| The operation is | | in substantial compliance with Standard | of Practice 8.2 |
| | | not in compliance with | |
| tasks that detail health an | d safe | Creeks has prepared and implemented SOPs for cety procedures for all aspects of cyanide unloading system, heap leach operations and the tailings stop. | ng, handling, mixing |
| specific training for their Twin Creeks's training pemployee must be trained required to have the New cyanide. Twin Creeks en and HAZCOM. All Twir safety. Twin Creeks en refreshers for those tasks Twin Creeks requires w training records are retain receive. The records inc | work or work in to Employed Property Employed Property Employed Em | and HAZCOM training, and specific departments area (carbon columns, carbon leach, Hydrogen im identifies the specific cyanide management of perform that specific job properly. New Twin Crolloyee Induction Course and pass a written test because who work in areas that cyanide is used are also eas working in specific cyanide management takes working in specific cyanide management takes and HAZCOM are included in the annual tests to evaluate the effectiveness of cyanide roughout an individual's employment documenting the names of the employee and the trainer, the demonstrating an understanding of the training management. | Peroxide system). elements that each eeks employees are efore working with o trained in MSHA at includes cyanide sks receive annual refresher training. training and those ag the training they ate of training; the |
| Standard of Practice 8.3: | | Train appropriate workers and personnel to exposures and environmental releases of cyanide. | = |
| Twin Creeks Min Name of Facility | e | Signature Lead Auditor | March 15, 2007 Date |

| | X | in full compliance with |
|--|---------------------------------------|---|
| The operation is | | in substantial compliance with Standard of Practice 8.3 |
| | | not in compliance with |
| production and mainter developed procedures Cyanide Management I | nance pland pland | in Creeks has provided training in response to cyanide releases for all personnel and developed a First Responder Team. Twin Creeks has ans for cyanide-related tasks. The Emergency Response Plan, the d procedures define the response required by operators if a person is an environmental release. |
| Twin Creeks has an Emand use of resuscitation | _ | y Response Team comprised of full-time employees trained in first aicment. |
| include both human | exposu | at least one annual mock cyanide emergency response drill that will re and environmental release. The drill will be analyzed and procedures and the emergency response plan as required. |
| 9. DIALOGUE: | Engag | ge in public consultation and disclosure. |
| Standard of Practice 9. | <u>l</u> : | Provide stakeholders the opportunity to communicate issues of concern. |
| | X | in full compliance with |
| The operation is | | in substantial compliance with Standard of Practice 9.1 |
| | | not in compliance with |
| with the public through and conducts. At these encouraged to attend an | quarto meeti d discu ll-free | in Creeks provides the opportunity to communicate issues of concern erly community communication sessions that Twin Creeks sponsors ngs, the members of the general public and government leaders are ass issues related to the mining operation including the use of cyanide. telephone number and internet email address for the public to call or garding Twin Creeks. |
| Standard of Practice 9.2 | <u>2</u> : | Initiate dialogue describing cyanide management procedures and responsively address identified concerns. |
| | X | in full compliance with |
| The operation is | | in substantial compliance with Standard of Practice 9.2 |
| | | not in compliance with |
| Twin Creeks M Name of Facilit | | Signature Lead Auditor March 15, 2007 Date |

| Basis fo | or Audit | Finding: | Twin C | reeks | prov | ides t | he opportunity | y to con | nmunic | ate issu | ies o | f concern |
|----------|------------|-----------------|-----------|---------|------|--------|----------------|----------|--------|----------|-------|-----------|
| | | \mathcal{C} | | | | local | stake holders | during | mock | drills, | the | quarterly |
| commu | nication s | sessions a | nd public | e tours | | | | | | | | |

| Standard of Practice | <u>9.3</u> : | Make appropriate operational and environmental information regarding cyanide available to stakeholders. | | | | | |
|----------------------|--------------|---|--------------------------|--|--|--|--|
| | X | in full compliance with | | | | | |
| The operation is | | in substantial compliance with | Standard of Practice 9.3 | | | | |
| | | Not in compliance with | | | | | |

Basis for Audit Finding: Twin Creeks provides quarterly reports to the Nevada Division of Environmental Protection (NDEP) Bureau of Mining Regulation and Reclamation that includes a summary of cyanide spills and releases, and environmental performance monitoring. These reports are available to the public by request. Twin Creeks is required to complete MSHA reports that would include any cyanide related worker exposure or death. Newmont provides operational and environmental information in Newmont's annual corporate sustainability report, "Now and Beyond" and on Newmont's website (www.newmont.com). The website has an environmental record for spill management and cyanide incidents and includes Twin Creeks.

Twin Creeks MineSignature Lead AuditorMarch 15, 2007Name of FacilitySignature Lead AuditorDate